

ZADATAK 5 - OSNOVE HTML-a

Kreirajte *zadatak5.html*, koji će sadržati sledeći HTML kod i sačuvati u svom folderu.

```
<!--Napraviti tabelu sa dve kolone koja u drugoj koloni ilustruje koriscenje fizickog stila-->
```

```
<HTML>
```

```
<HEAD>
```

```
<META HTTP-EQUIV="Content-Type" CONTENT="text/html; charset=iso-8859-2">
```

```
  <TITLE> Fizicki i logicki stil karaktera</TITLE>
```

```
</HEAD>
```

```
<BODY>
```

```
<H2 align="center">Fizi&#269;ki stil </H2>
```

```
<!--Prva tabela-->
```

```
<TABLE>
```

```
<!--1. red-->
```

```
<TR>
```

```
<TD>Normalan slog:</TD>
```

```
<TD> Jedan primer</TD>
```

```
</TR>
```

```
<!--2. red-->
```

```
<TR>
```

```
<TD>Crni slog:</TD>
```

```
<TD> <B>Jedan primer</B> </TD>
```

```
</TR>
```

```
<TR>
```

```
<TD>Kurzivni slog:</TD>
```

```
<TD> <I>Isko&#353;en primer</I> </TD>
```

```
</TR>
```

```
<TR> <TD>Podcrtavanje:</TD>
```

```
<TD> <U>Jedan primer</U> </TD>
```

```
</TR>
```

```
<TR> <TD>Teleprinterski slog:</TD>
```

```
<TD> <TT>Jedan primer</TT> </TD>
```

```
</TR>
```

```
<TR>
```

```
<TD>Precrtavanje:</TD>
```

```
<TD> <STRIKE>Jedan primer</STRIKE> </TD>
```

```
</TR>
```

```
</TABLE>
```

```
<H2 ALIGN="CENTER">Logi&#269;ki stil</H2>
```

```
<!--Druga tabela-->
```

```
<TABLE>
```

```
<TR>
```

```
<TD>Naro&#269;ito istaknuto </TD>
```

```
<TD><STRONG>Jedan primer</STRONG> </TD>
```

```
</TR>
```

```
<TR>
```

```
<TD>Istaknuto </TD>
<TD><EM>Jedan primer</EM> </TD>
</TR>
```

```
<TR> <TD>Segment koda</TD>
<TD><CODE>Jedan primer</CODE> </TD>
</TR>
</TABLE>
```

```
</BODY>
</HTML>
```

ZADATAK 6- OSNOVE HTML-a

Kreirajte *zadatak6.html*, koji će sadržati sledeći HTML kod i sačuvati u svom folderu.

```
<HTML>
<HEAD><TITLE>Prvi naslov</title>
<TITLE>Drugi naslov</title>
</HEAD>

<BODY TEXT="#0000FF">
<!--Opisati HTML dokument koji daje tabelarni prikaz zarade za 3 lica.
Nadnaslov
tabele da bude Tabela plata i da se ispise centrirano i narocito istaknuto-->
<H2 Align="Center">Tabela 0 </h2>
<TABLE>
<!-- poceta definicije tabele-->

<CAPTION ALIGN="Center"> <STRONG>Tabela plata </STRONG>
</CAPTION>
<!-- definicija naslova tabele -->

<TR>
<!-- definicija naziva kolona-->
  <TH> ZARADA </TH>
  <TH> IME</TH>
</TR>
<!-- kraj definicije naziva kolona -->

<TR>
<!-- definisanje prvog reda-->
  <TD> 100.45 </TD>
  <TD> Pera </TD>
</TR>
<!-- kraj definicije prvog reda-->

<TR>
<!-- definicija drugog reda-->
  <TD> 1 000.56 </TD>
  <TD> Mika </TD>
</TR>
<!-- kraj definicije drugog reda-->
<TR>
<!-- definicija poslednjeg reda -->
  <TD> 500 </TD>
  <TD> Perica </TD>
</TR>
<!-- kraj definicije poslednjeg reda -->

</TABLE>
<!-- kraj definicije tabele -->

<!--Opisati HTML dokument koji ce sadrzati tabelu zarada za 3 lica
```

i ako je lice starije od 50 godina navesti i njegove godine-->

<H2 ALIGN="CENTER">Tabela 1 </H2>

<TABLE BORDER=2>

<TR>

<!-- header -->

<TH bordercolor="#FF0000">GODINE </TH>

<TH bordercolor="#00FF00"> ZARADA </TH>

<TH> IME</TH>

</TR>

<TR>

<TD> 52 </TD>

<TD>100.45 </TD>

<TD>Pera </TD>

</TR>

<TR>

<TD>54 </TD>

<TD>1 000.56 </TD>

<TD> Mika </TD>

</TR>

<TR>

<TD></TD>

<TD>500 </TD>

<TD> Perica </TD>

</TR>

</TABLE>

<H2 ALIGN="CENTER">Tabela 1.1 </H2>

<TABLE BORDER=2>

<TR>

<!-- header -->

<TH>GODINE </TH>

<TH> ZARADA </TH>

<TH> IME</TH>

</TR>

<TR>

<TD> 52 </TD>

<TD>100.45 </TD>

<TD>Pera </TD>

</TR>

<TR>

<TD>1 000.56 </TD>

<TD> Mika </TD>

</TR>

<TR>

<TD> </TD>

<TD>500 </TD>

<TD> Perica </TD>

</TR>

</TABLE>

```

<!--Tabela broj 2-->
<H2 ALIGN="CENTER">Tabela 2 </H2>
<TABLE BORDER=8  CELSPACING=0>
  <TR>
    <TD> 52 </TD>
    <TD>100.45 </TD>
    <TD>Pera </TD>
  </TR>
  <TR>
    <TD>54 </TD>
    <TD>1 000.56 </TD>
    <TD> Mika </TD>
  </TR>
  <TR>
    <TD>&nbsp;</TD>
    <TD>500 </TD>
    <TD> Perica </TD>
  </TR>
</TABLE>

```

```

<!--Tabela broj 2.1-->
<H2 ALIGN="CENTER">Tabela 2.1 </H2>
<TABLE BORDER=8  >
  <TR>
    <TD> 52 </TD>
    <TD>100.45 </TD>
    <TD>Pera </TD>
  </TR>
  <TR>
    <TD>54 </TD>
    <TD>1 000.56 </TD>
    <TD> Mika </TD>
  </TR>
  <TR>
    <TD>&nbsp;</TD>
    <TD>500 </TD>
    <TD> Perica </TD>
  </TR>
</TABLE>

```

```

<!--Tabela broj 2.2-->
<H2 ALIGN="CENTER">Tabela 2.2 </H2>
<TABLE BORDER=8  CELSPACING=1>
  <TR> <TH>Godine </TH> <TH>Zarada</TH> <TH>Ime</TH> </TR>
  <TR>
    <TD> 52 </TD>
    <TD>100.45 </TD>
    <TD>Pera </TD>
  </TR>
  <TR>
    <TD>54 </TD>
    <TD>1 000.56 </TD>
    <TD> Mika </TD>
  </TR>

```

```
</TR>
<TR>
<TD>&nbsp;</TD>
<TD>500 </TD>
<TD> Perica </TD>
</TR>
</TABLE>
```

```
<!--Tabela broj 2.3-->
<H2 ALIGN="CENTER">Tabela 2.3 </H2>
<TABLE CELSPACING=1>
<TR>
<TD> 52 </TD>
<TD>100.45 </TD>
<TD>Pera </TD>
</TR>
<TR>
<TD>54 </TD>
<TD>1 000.56 </TD>
<TD> Mika </TD>
</TR>
<TR>
<TD>&nbsp;</TD>
<TD>500 </TD>
<TD> Perica </TD>
</TR>
</TABLE>
```

```
<H2 ALIGN="CENter">Tabela 3 </H2>
<TABLE BORDER=2 CELSPACING=8>
<TR>
<TH>Godine</TH>
<TH>Zarada</TH>
<TH>Ime</TH>
</TR>
<TR>
<TD> 52 </TD>
<TD>100.45 </TD>
<Td>Pera</TD>
</TR>
<TR>
<TD> 54</TD>
<TD> 10000.56 </TD>
<TD>Mika</TD>
</TR>
<TR>
<TD> &nbsp;</TD>
<TD>500</TD>
<TD>Perica</TD>
</TR>
</TABLE>
<H2 ALIGN="CENter">Tabela 4 </H2>
<TABLE BORDER=2 CELSPACING=12>
```

```

<TR>
<TH>Godine</TH>
<TH>Zarada</TH>
<TH>Ime</TH>
</TR>
<TR>
<TD> 52 </TD>
<TD>100.45 </TD>
<Td>Pera</TD>
</TR>
<TR>
<TD> 54</TD>
<TD> 10000.56 </TD>
<TD>Mika</TD>
</TR>
<TR>
<TD> &nbsp;</TD>
<TD>500</TD>
<TD>Perica</TD>
</TR>
</TABLE>

```

```

<h2 align="center">Tabela 5 </h2>
<TABLE BORDER=5 CELSPACING=0>

```

```

<TR>
<TH>Godine</TH>
<TH>Zarada</TH>
<TH>Ime</TH>
</TR>
<TR>
<TD> 52 </TD>
<TD>100.45 </TD>
<Td>Pera</TD>
</TR>
<TR>
<TD> 54</TD>
<TD> 10000.56 </TD>
<TD>Mika</TD>
</TR>
<TR>
<TD> &nbsp;</TD>
<TD>500</TD>
<TD>Perica</TD>
</TR>
</TABLE>

```

```

<h2 align="center">Tabela 6 </h2>
<TABLE BORDER=0 CELSPACING=0>

```

```

<TR>
<TH>Godine</TH>
<TH>Zarada</TH>
<TH>Ime</TH>
</TR>
<TR>

```


